

Appendix-VI

Certificate of Registration of Fumigation Agency (MBR)



Govt. of India
Ministry of Agriculture & Farmer's Welfare
Dept. of Agriculture, Cooperation & Farmer's Welfare
Directorate of Plant Protection, Quarantine & Storage
 N. H. – IV, Faridabad – 121 001 (Haryana)

Registered Number: 203/MB

Date of Issue: 28.05.2007

Valid up to: 27.05.2010

This is to certify that the following fumigation agency/branch has been assessed and granted registration for undertaking Methyl Bromide fumigation treatments with an accredited fumigation operator in accordance with requirements specified in the NSPM-12 and under the provisions of Section 18 of the Insecticides Act, 1968 and subject to terms and conditions specified as under:

-S/d-
Plant Protection Adviser

Name of Fumigation Agency/Branch M/s. D P C S Pest Control (P) Ltd.

Address Khewat No. 5, Vishwakarma Colony, Gali No. 2, G. T. Road Flyover, Baraut, Gannaur, Sonapat- 131101 (Haryana)

Terms & Conditions:

1. The Registration Certificate shall be displayed in a prominent place open to public by the fumigation agency/branch and the registration number shall be quoted in all correspondence with Directorate of Plant Protection, Quarantine & Storage and in the Fumigation Certificates being issued.
2. The fumigation agency/branch shall hold valid license for stock and use issued by the Director of Agriculture of the concerned State.
3. The certificate is valid for a period of **two years** as indicated above unless otherwise revalidated by the Competent authority. The fumigation agency/branch shall apply for revalidation at least 45 days prior to expiry of registration.
4. The fumigation agency/branch shall undertake all fumigation operations under direct supervision of accredited Fumigation Operator and abide by the conditions specified in Compliance Agreement. The fumigation agency/branch shall affix assigned mark (see **annex**) to the treated wood packaging material as per the annexure to the certificate in compliance with ISPM-15.
5. The certificate of registration granted shall be liable to be withdrawn/ cancelled, should the said firm involved in making false records or issue fraudulent certificates or failed to meet the requirements of the Methyl bromide Standard or violates any provisions of Insecticides Act, 1968 and Rules and Regulations issued there under.
6. This Certificate shall be valid for undertaking MB fumigation operations within the State in range of **100 KM** from agency headquarters.

Endorsements:

Revalidated up to 27.05.2012, Revalidated up to 27.05.2014,
 Revalidated up to 27.05.2016, Revalidated up to 27.05.2018,
 Revalidated up to 26.05.2020, Revalidated up to 07.11.2021,
Revalidated up to 07.11.2023


(Dr. D. C. Rajak)
 Joint Director (Ento.) & Ofc
 RPQS- New Delhi

Copy to: 1) The Director of Agriculture, Dte. of Agriculture, Panchkula, Haryana.
 2) The Plant Protection Adviser, Dte. of PPQ&S, NH-IV, Faridabad-121001



Annex to Appendix-VI.

ISPM Mark Assigned to the Registered Fumigation Agency



Note: Markings should be according to the model shown above (12 x 6 cm), legible, permanent, not transferable, placed in a visible location and preferably marked by a stencil with black ink. The letter size should be a minimum of 2.5 cm. Recycled, remanufactured or repaired wood packaging material should be re-certified and re-marked. All components of such material should have been treated.

Endorsements:

Revalidated up to 27.05.2012, Revalidated up to 27.05.2014,
Revalidated up to 27.05.2016, Revalidated up to 27.05.2018,
Revalidated up to 26.05.2020, Revalidated up to 07.11.2021,
Revalidated up to 07.11.2023


सत्यमेव जयते

(Dr. D. C. Rajak)
Joint Director (Ento.) & OIC
RPQS- New Delhi



Annex to Appendix-VI.

ISPM Mark Assigned to the Registered Fumigation Agency



Note: Markings should be according to the model shown above (12 x 6 cm), legible, permanent, not transferable, placed in a visible location and preferably marked by a stencil with black ink. The letter size should be a minimum of 2.5 cm. Recycled, remanufactured or repaired wood packaging material should be re-certified and re-marked. All components of such material should have been treated.

Endorsements:

Revalidated up to 27.05.2012, Revalidated up to 27.05.2014,
Revalidated up to 27.05.2016, Revalidated up to 27.05.2018,
Revalidated up to 26.05.2020, Revalidated up to 07.11.2021,
Revalidated up to 07.11.2023

सत्यमेव जयते

(Dr. D. C. Rajak)
Joint Director (Ento.) & OIC
RPQS- New Delhi

